



50 Laboratory

The KECO 50-LAB Analyzer delivers precise, real-time H₂S measurements in gases with PPB-level accuracy. Its ASTM-approved tape method ensures zero false positives, minimal maintenance, and automatic zeroing—ideal for lab environments demanding reliability and specificity.

Scan to know more about KECO H₂S Analyzer for Laboratory



Applications

- Landfills
- Biogas
- Oil Field Operations
- Laboratories



Benefits

- Wide Measurement Range
- No Field Calibration Needed
- High Accuracy: $\pm 2\%$ full scale
- Low Maintenance
- Easy Integration

Operational Impact

- Optimized treatment efficiency
- Reduced chemical costs
- Enhanced safety
- Improved compliance
- Cost-effective operation



Specifications

DISPLAY

- Alpha Numeric LCD
- 128 x 64 pixel

TEMPERATURE RANGES

- 5°C to 50°C (operating)
- 0°C to 70°C (storage)

ANALOG

- Isolated 4-20mA

ANALYTICAL PERFORMANCE

- Resolution: 1 ppb
- Accuracy: $\pm 2\%$
- Repeatability: $\pm 1\%$
- Linearity: $\pm 1\%$
- Drift: Nil
- Temp. Coefficient: 0.01% / °C
- Analysis Time: 0.75 Second

DETECTION RANGES

- 0-1 ppm
- 0-50 ppm
- 0-500 ppm
- Other ranges available (contact factory)

BATTERY PACK (OPTIONAL)

- Operate ~8 to 16 hours, fully charged

WEIGHT

- Approx. 10 lbs; 4.5 kg

DIMENSIONS

- 10" X 12" X 6"

POWER OPTIONS \geq 5 Watts

- 110VAC, 60 Hz
- 220VAC, 50 Hz
- 12VDC
- 24VDC

MAXIMUM PRESSURE

- 100 psig
- Greater with pressure regulator installed

AVAILABLE OPTIONS

- RS-232/485 Modbus protocol
- Internal Sample Pump
- Data Logger for data download to PC
- Remote monitoring/control with PC
- Sample Cylinder for high pressure samples

KECO provides design and application engineering assistance for the User's analyzer requirements. For a quotation, please complete Analyzer Quote Request Form at kecosystems.com/quote

KECO reserves the right to make revisions and or changes without notice. KECO shall not be liable for any errors or omissions made or any damages resulting from the use of the analyzer, information, or the manual. © 2025 Printed in the USA.